

Supplementary table S1.

	FM+PD	FM+MDE	FM+PD+MDE		
Patients n (%)	24 (57.1)	4 (9.5)	14 (33.3)		
Sex-females n (%)	22 (91.7)	3 (75)	13 (92.9)	1.24	.537
Age	41. ± 13.8	36. ± 2.4	45.2 ± 15.2	4.33	0.20
Education (years)	11.3 ± 3.2	14. ± 1.7	10.5 ± 3	1.56	.22
Marital Status n (%)					
Single	6 (25)	0 (0)	2		
Married	14 (58.3)	2 (50)	10	3.97	.410
Divorced/Widowed	4 (16.7)	2 (50)	2		
Occupation n (%)					
Manager	7 (29.2)	0 (0)	4 (28.6)		
White-collar	8 (33.3)	1 (25)	6 (42.9)	5.58	.471
Blue-collar	6 (25)	3 (75)	3 (21.4)		
Unemployed	3 (12.5)	0 (0)	1 (7.1)		
BMI	25.2 ± 4.3	23.2 ± 2.3	25.9 ± 4.9	.445	.645
Age at onset of FM	30.25 ± 14.7	27.50 ± 11	38 ± 12.9	1.676	.200
Age at onset of PD	30.1 ± 14.8	-	38 ± 12.8	2.75	.106
Age at onset of MDE	-	27.5 ± 11	38 ± 12.8	2.17	.160
CTQ total score	46 ± 15.26	40.25 ± 15.7	41.5 ± 12.15	.595	.557
FIQ	79.44 ± 10.13	71.18 ± 11.9	75 ± 11.19	1.37	.267
FAS	7.89 ± .84	7.98 ± .81	7.82 ± 1.23	.045	.956
HAQ	1.13 ± .39	.943 ± 4.1	1.09 ± .35	.422	.659