

**Supplementary Table S1.** Summary of SLE patients with intracranial calcification.

| Author and year                  | Sex and age (y) | Disease courses (y) | Neurological Presentations   | Brain CT findings  | CSF examination    | Autoantibodies   | Gene mutation      | Other complications  | Treatment  | outcome  |
|----------------------------------|-----------------|---------------------|--|--|--------------------|--|--------------------|--|--|----------|
| This case                        | F/47            | 16                  | slurred speech   | bilateral calcification in the <b>basal ganglia, white matter</b> of the cerebral hemispheres, and <b>cerebellar</b> hemispheres symmetrically                                       | NA                 | ANA +; anti-dsDNA +; anti-SSA +; anti-ribosomal P +                              | NA                 | nephritis  | NA   | NA       |
| Sait H, 2021 [1]                 | F/15            | simultaneously      | bilateral 6th and left upper motor neuron 7th cranial nerve palsy, left hemiparesis with visual acuity limited to projection of light in both eyes | Intraparenchymal hemorrhage involving right frontoparietal region; bilateral <b>basal ganglia</b> calcification  | NA                 | ANA 4+; Anti-dsDNA +; anti-SSA +   | ACP5               | Spondyloenchondro-dysplasia with immune dysregulation  | NA   | NA       |
| Zhang YX, 2020 [2]               | F/53            | 13                  | dysarthria, bradykinesia, rigidity, hyperreflexia of the upper extremities, and abnormal tandem gait   | multiple patchy and punctate lesions in the <b>bilaterial lenticular nucleus and cerebellar dentate nucleus</b> , as well as radiating lesions along the <b>periventricular area</b> | normal             | ANA 2+; anti-dsDNA 563 IU/ml, anti-RNP 2+; anti-SSA 3+; anti-Ro52 3+             | NA                 | NA   | Methylprednisolone   | NA       |
| Kara B, 2020 [3]                 | M/25            | 6                   | spastic paraparesis, mild intellectual disability  | <b>periventricular, frontal subcortical and basal ganglia</b> calcification  | NA                 | ANA+; anti-dsDNA+; anti-Smith +, anti-Smith/RNP +                                | ACP5               | Spondyloenchondro-dysplasia; claustrophobia  | Corticosteroid, azathioprine, HCQ and rituximab. Heparin, acetyl salicylic acid. | Improved |
| Soh D, 2019 [4]                  | F/60            | 10                  | hypophonia, rigidity, bradykinesia, stooped posture, reduced arm swing and stride length, mild broad-based gait, and postural instability          | calcification involving the dentate nuclei, basal ganglia, periventricular white matter, and subcortical white matter.   | NA                 | NA   | SLC20A2            | Vertical supranuclear gaze palsy   | NA   |          |
| Garg T, 2018 [5]                 | F/2.5           | NA                  | Delayed speech and development   | bilateral symmetrical calcifications in the <b>gangliothalamic</b> region  | NA                 | ANA 3+; Anti-dsDNA 2+; Anti-Smith Ab 4+; anti-SSA 4+; anti-U1-RNP 4+             | NA                 | NA   | Oral steroids and HCQ  | NA       |
| Chang RS, 2015 [6]               | F/54            | NA                  | Shuffling gait, bradykinesia and rigidity  | diffuse <b>basal ganglia</b> calcification with significant cerebral atrophy   | NA                 | NA   | NA                 | Parkinsonism; lupus nephritis; depression  | Dopamine   | NA       |
| Troedson C, 2013 [7]             | F/1.5           | 4                   | longstanding left 6th nerve palsy, microcephaly and mild global delay  | Basal ganglia calcification  | Elevated neopterin | ANA 1:640; Anti-dsDNA +; Anti-Smith +; Anti-Ribosomal P +                        | NA                 | Malar rash, fevers, hepatitis, sterile cystitis  | Prednisone and azathioprine.   | Improved |
| Martinovic-Kaliterna D, 2013 [8] | F/65            | 17                  | insomnia and mild depression   | bilateral symmetric intracranial calcifications in the cerebrum, <b>basal ganglia</b> , periventricular white matter and cerebellum  | NA                 | ANA +, Anti-dsDNA +; negative antiphospholipid Ab and anti-ribosomal P Ab        | NA                 | Fahr's disease?  | Steroids, HCQ, and Zolpidem.   | Improved |
| Jankovic M, [9]                  | F/64            | 6                   | confusion and hyporesponsiveness   | Extensive bilateral and symmetric calcifications of <b>nucleus dentatus, cerebellum, striatum, pallidum</b> , and periventricular white matter                                       | normal             | Anti-dsDNA -   | NA                 | idiopathic hypoparathyroidism and hypothyroidism; M. cheloneae infection; Fahr's syndrome; septic shock. | Methylprednisolone, Died 2011 azathioprine                                       |          |
| Ramantani G, 2011 [10]           | M/12            | 6                   | severe developmental delay, spastic tetraparesis, multiple contractures, and severe scoliosis, dystonia and refractory epilepsy                    | <b>Periventricular</b> hypodensities with spotty calcifications around slightly dilated ventricles   | NA                 | ANA+; anti-dsDNA +; ANCA +   | SAMHD1 (AGS5) gene | Aicardi-Goutières syndrome   | corticosteroids, azathioprine, etanercept  |          |
| Sibbitt WL Jr, 2010 [11]         | M/56            | 10                  | hyperreflexia, gait disturbance, dysarthria, emotional lability, depression, cognitive decline   | extensive calcification in the <b>thalamus, putamen, caudate nucleus, white matter</b> , and posterior gray matter   | NA                 | ANA 1:640; anti-dsDNA 1:640; Anticardiolipin Ab +; lupus anticoagulant: positive | NA                 | Fahr's disease; antiphospholipid antibody syndrome; sepsis   | NA   | Died     |
| Masuda Y, 2010 [12]              | F/56            | 13                  | mental deterioration, bilateral pyramidal sign, parkinsonism, and intentional tremor   | bilateral calcification in the <b>ganglia, dentate nuclei</b> , and the <b>white matter</b> of the cerebral hemisphere symmetrically   | High IL-6          | ANA +; Anti-SSA+; anti-SSB+; anti-ribosomal P Ab +                               | NA                 | NA   | NA   | NA       |

# Letters to the Editors

| Author and year           | Sex and age (y) | Disease courses (y) | Neurological Presentations   | Brain CT findings  | CSF examination   | Autoantibodies  | Gene mutation | Other complications         | Treatment  | outcome     |
|---------------------------|-----------------|---------------------|--|--|---|---|---------------|-----------------------------|--|-------------|
| Andres RH,<br>2008 [13]   | F/53            | 20                  | psychotic episodes, progressive depression, insomnia, psychomotor slowing, gait disturbance and tremor of both hands. Rigidity of the upper extremities, ataxia, tetrahyperreflexia and bilateral pyramidal tract signs. | extensive calcification of the <b>basal ganglia</b> , centrum semiovale, <b>cerebellar</b> hemispheres and <b>brainstem</b>  | NA  | NA  | NA            | NA                          | high-dose immunosuppressive therapy.                                       | Deteriorate |
| Navarro V,<br>2008 [14]   | M/7             |                     | increased tone and hyperreflexia in lower limbs  | two homogenous foci of calcification in the deep <b>white matter</b> of the frontal lobes bilaterally, and calcification of the <b>basal ganglia</b> particularly involving the caudate and putamina | normal  | ANA+:<br>Anti-dsDNA +   | NA            | spondyloenchondro-dysplasia | Corticosteroids, chloroquine and cyclophosphamide, azathioprine.           | Improved    |
| Cañas CA,<br>2008 [15]    | F/18            | 5                   | refractory seizures, severe dementia, psychomotor agitation, language involvement, and right hemiparesis   | cerebral atrophy and multiple <b>paraventricular</b> , <b>basal ganglia</b> , <b>cortex</b> , cerebral <b>white matter</b> , and <b>cerebellum</b> calcifications; secondary hydrocephalus           | Normal  | ANA+;<br>anti-dsDNA +;<br>anti-Smith +;<br>anti-RNP +   | NA            | NA                          | Steroids; azathioprine, cyclophosphamide, rituximab, plasmapheresis, IVIG. | Progressed  |
| Filloux V,<br>2003 [16]   | F/70            | 2                   | progressive loss of cognitive capacities and a right motor deficit with a pyramidal syndrome; important cognitive impairment with dementia and tetraplegia   | Basal ganglia calcification  | Elevated protein  | ANA+; Anti-dsDNA -; lupus anticoagulant -; anticardiolipin Ab -   | NA            | Fahr's disease              | Steroids, methotrexate   | Died        |
| Dale RC,<br>2000 [17]     | M/0.8           | 3y before           | progressive microcephaly, cortical blindness, myoclonic epilepsy, spastic and mental retardation   | ventriculomegaly in addition to <b>periventricular</b> , <b>subcortical</b> and <b>basal ganglia</b> calcification   | NA  | ANA 1:132;<br>anti-dsDNA 2350 IU/ml; Anti-Ro +;<br>Anti-La +;<br>Anti-Clq +;<br>Anti RNP +;<br>Anticardiolipin Ab + | NA            | NA                          | NA   | Died        |
|                           | M/0.4           | 1y before           | progressive microcephaly, cortical blindness, myoclonic epilepsy, spastic and mental retardation   | ventriculomegaly in addition to <b>periventricular</b> , <b>subcortical</b> and <b>basal ganglia</b> calcification (identical to his brother)  | NA  | Anti-dsDNA 2050 IU/ml; anticardiolipin Ab +   | NA            | NA                          | NA   | Died        |
| Mathur A,<br>2000 [18]    | F/27            | Simultaneously      | left sided hemiplegia  | infarction in right frontoparietal region and a ring enhancing lesion in right basal ganglia   | NA  | Anti-dsDNA +  | NA            | NA                          | Oral prednisone  | NA          |
| Stuart BM,<br>1998 [19]   | F/16            | 13                  | Headache, anosmia  | extensive symmetrical calcification in the <b>basal ganglia</b> , <b>internal capsule</b> , both <b>cerebellar</b> lobes, the <b>brainstem</b> and the <b>cerebrum</b>                               | Paraprotein, anti-astrocyte Ab >1:1600  | ANA 1:3000;<br>Anti-astrocyte Ab 1:125000   | NA            | NA                          | Steroids, HCQ.<br>Improved   | NA          |
| Matsumoto R,<br>1998 [20] | F/22            | 10                  | psychosis and/or depression; mild left hemiparesis with a left extensor plantar response and confusion   | moderate perisulcal atrophy and asymmetric granular calcification in the <b>basal ganglia</b> , <b>internal capsule</b> and <b>subcortical</b> and periventricular <b>white matter</b>               | Increased cell count, protein and IgG; myelin basic protein 29.0 ng/ml; IL-6 4450 pg/ml; antiribosomal P Ab + | ANA +;<br>Anti-dsDNA +;<br>anti-Smith +;<br>anti RNP Ab +   | NA            | respiratory failure         | Methylprednisolone.  | Died        |
| Raymond AA,<br>1996 [21]  | M/17            | NA                  | Organic brain syndrome   | <b>Basal ganglion</b> calcification  | NA  | NA  | NA            | NA                          | NA   | NA          |
|                           | M/19            | NA                  | Headache   | <b>Basal ganglion</b> calcification  | NA  | NA  | NA            | NA                          | NA   | NA          |
|                           | F/28            | NA                  | Headache, seizures   | Calcification in <b>basal ganglia</b> , <b>centrum semiovale</b> , and <b>cerebellum</b> . Infraction in right external capsule  | NA  | NA  | NA            | NA                          | NA   | NA          |
|                           | F/29            | NA                  | Unexplained syncope  | <b>Basal ganglion</b> calcification, cerebral cortical atrophy   | NA  | NA  | NA            | NA                          | NA   | NA          |
|                           | F/44            | NA                  | Left optic neuritis  | <b>Cerebral cortical</b> atrophy, calcification  | NA  | NA  | NA            | NA                          | NA   | NA          |
|                           | F/45            | NA                  | Chronic psychosis, seizures  | <b>Basal ganglion</b> calcification, <b>cerebral cortical</b> atrophy, left periventricular infarction   | NA  | NA  | NA            | NA                          | NA   | NA          |
|                           | F/47            | NA                  | seizures   | <b>basal ganglion</b> , <b>centrum semiovale</b> , <b>cerebellum</b> calcification; cerebral cortical atrophy  | NA  | NA  | NA            | NA                          | NA   | NA          |

| Author and year            | Sex and age (y) | Disease courses (y) | Neurological Presentations   | Brain CT findings   | CSF examination                     | Autoantibodies                       | Gene mutation | Other complications                           | Treatment                             | outcome  |
|----------------------------|-----------------|---------------------|--|---|-------------------------------------|--------------------------------------|---------------|---|---------------------------------------|----------|
|                            | F/48            | NA                  | Organic brain syndrome   | Calcification: <b>basal ganglion, cerebellum;</b> cerebral cortical atrophy; Infraction: right caudate and external capsule, left internal capsule and external capsule     | NA                                  | NA                                   |               | NA  | NA                                    |          |
| Yamamoto K,<br>1992 [22]   | F/32            | 14                  | dysarthria, moderate right hemiparesis with positive right Babinski sign and sensory disturbance in the right half of her body | Bilateral calcification in the <b>lentiform nuclei, caudate nuclei, thalamus, dentate nuclei and white matter</b> of cerebellar hemispheres                                 | Elevated protein                    | ANA 1:640                            |               | NA  | Oral corticosteroid                   | Improved |
| Daud AB,<br>1988 [23]      | F/18            | simultaneously      | right sided paraesthesia with ipsilateral facial nerve paresis   | ventricular and subarachnoid space widening and calcification in the right <b>basal ganglia, right paraventricular</b> area and also the frontal cortex of both hemispheres | NA                                  | ANA +                                | NA            | NA  | steroid and anti-inflammatory therapy | NA       |
|                            | F/21            | 6                   | Psychosis, hemiplegia  | a resolving hypodense area in the right fronto-parietal region, diffuse cortical atrophy and solitary left <b>paraventricular calcification</b>                             | NA                                  | NA                                   | NA            | NA  | NA                                    | NA       |
| Nordstrom DM,<br>1985 [24] | F/20            | 7                   | depressed sensorium, mental slowness and choreiform movements, spastic paraparesis, myelitis manifested by paraplegia of legs  | perisulcal atrophy and basal <b>ganglia calcifications</b>  | Elevated protein                    | Positive DNA binding; Coomb's test + | NA            | NA  | Prednisone.                           | Improved |
|                            | F/19            | 5                   | depressed sensorium, grand mal seizures  | mild perisulcal atrophy and <b>basal ganglia calcifications;</b>  | Elevated protein; oligoclonal bands | Positive DNA Binding                 | NA            | NA  | steroids and antiseizure medication.  | Improved |
| Anderson JR,<br>1981 [25]  | F/0.4           | 1y before           | generalized hypertonia, cerebral and subarachnoid hemorrhage   | moderate symmetrical dilatation of the ventricular system and bilateral calcification in the <b>basal ganglia.</b>  | NA                                  | Anti-dsDNA +                         | NA            | Glomerulonephritis, Libman-Sacks endocarditis | NA                                    | NA       |

## References

- SAIT H, GANGADHARAN H, GUPTA A et al.: Monogenic Lupus with IgA Nephropathy Caused by Spondyloenchondroplasia with Immune Dysregulation. *Indian J Pediatr* 2021; 88(8): 819-23. <https://doi.org/10.1007/s12098-020-03636-x>
- ZHANG YX, LI HF, ZHENG Y et al.: Diffuse intracranial calcification, deep medullary vein engorgement, and symmetric white matter involvement in a patient with systemic lupus erythematosus. *CNS Neurosci Ther* 2020; 26(2): 278-80. <https://doi.org/10.1111/cns.13250>
- KARA B, EKINCI Z, SAHIN S et al.: Monogenic lupus due to spondyloenchondroplasia with spastic paraparesis and intracranial calcification: case-based review. *Rheumatol Int* 2020; 40(11): 1903-10. <https://doi.org/10.1007/s00296-020-04653-x>
- SOH D, LANG A: Diffuse Brain Calcification, a Novel SLC20A2 Variant, Vertical Supranuclear Gaze Palsy, and Systemic Lupus Erythematosus. *Mov Disord Clin Pract* 2019; 6(5): 403-5. <https://doi.org/10.1002/mdc3.12763>
- GARG T, SANKE S, CHANDER R et al.: Infantile Systemic Lupus Erythematosus with Cerebral Calcification and Delayed Development. *Indian J Pediatr* 2018; 85(5): 394-5. <https://doi.org/10.1007/s12098-017-2511-1>
- CHANG RS, LEUNG CY, LEONG HS: Bilateral Striatopallidodentate Calcinoses associated with Systemic Lupus Erythematosus: Case report and review of literature. *J Neurol Sci* 2015; 358(1-2): 518-9. <https://doi.org/10.1016/j.jns.2015.09.373>
- TROEDSON C, WONG M, DALBY-PAYNE J et al.: Systemic lupus erythematosus due to C1q deficiency with progressive encephalopathy, intracranial calcification and acquired moyamoya cerebral vasculopathy. *Lupus* 2013; 22(6): 639-43. <https://doi.org/10.1177/0961203313486950>
- MARTINOVIC-KALITERNA D, RADIC M, RADIC J et al.: Massive cerebral calcifications (Fahr's disease) in a patient with systemic lupus erythematosus and no major neuropsychological abnormality. *Isr Med Assoc J* 2013; 15(10): 654-5.
- JANKOVIC M, ZMAK L, KRAJINOVIC V et al.: A fatal Mycobacterium cheloneae infection in an immunosuppressed patient with systemic lupus erythematosus and concomitant Fahr's syndrome. *J Infect Chemother* 2011; 17(2): 264-7. <https://doi.org/10.1007/s10156-010-0110-4>
- RAMANTANI G, HÄUSLER M, NIGGEMANN P et al.: Aicardi-Goutières syndrome and systemic lupus erythematosus (SLE) in a 12-year-old boy with SAMHD1 mutations. *J Child Neurol* 2011; 26(11): 1425-8. <https://doi.org/10.1177/0883073811408310>
- SIBBITT WL, BROOKS WM, KORNFIELD M et al.: Magnetic resonance imaging and brain histopathology in neuropsychiatric systemic lupus erythematosus. *Semin Arthritis Rheum* 2010; 40(1): 32-52. <https://doi.org/10.1016/j.semarthrit.2009.08.005>
- MASUDA Y, UCHIYAMA Y, HASHIMOTO S et al.: Symmetrical progressive intracranial calcification in a patient with SLE. *Intern Med* 2010; 49(4): 351. <https://doi.org/10.2169/internalmedicine.49.2693>
- ANDRES RH, SCHROTH G, REMONDA L: Neurological picture. Extensive cerebral calcification in a patient with systemic lupus erythematosus. *J Neurol Neurosurg Psychiatry* 2008; 79(4): 365. <https://doi.org/10.1136/jnnp.2007.125393>
- NAVARRO V, SCOTT C, BRIGGS TA et al.: Two further cases of spondyloenchondroplasia (SPEN-CD) with immune dysregulation. *Am J Med Genet A* 2008; 146A(21): 2810-5. <https://doi.org/10.1002/ajmg.a.32518>
- CAÑAS CA, TOBÓN GJ: Multiple brain calcifications in a patient with systemic lupus erythematosus. *Clin Rheumatol* 2008; 27 (Suppl. 2): S63-5. <https://doi.org/10.1007/s10067-008-0933-x>
- FILLOUX V, MAROTTE H, MIOSSEC P: Cerebral calcifications in an elderly lupus patient. *Ann Rheum Dis* 2003; 62(3): 283-4. <https://doi.org/10.1136/ard.62.3.283>
- DALE RC, TANG SP, HECKMATT JZ, TATNALL FM: Familial systemic lupus erythematosus and congenital infection-like syndrome. *Neuropediatrics* 2000; 31(3): 155-8. <https://doi.org/10.1055/s-2000-7492>
- MATHUR A, CHOUDHARY HR: Systemic lupus erythematosus causing cerebral infarction and basal ganglion calcification: a case report. *Neurol India* 2000; 48(1): 91.
- STUART BM, GREGSON NA: Cerebral calcification in a patient with systemic lupus erythematosus and a monoclonal IgG reactive with glial fibrillary acidic protein. *Br J Rheumatol* 1998; 37(12): 1355-7. <https://doi.org/10.1093/rheumatology/37.12.1355>
- MATSUMOTO R, SHINTAKU M, SUZUKI S, KATO T: Cerebral periventricular calcification in neuropsychiatric lupus erythematosus: a case report. *Neuroradiology* 1998; 40(9): 583-6. <https://doi.org/10.1007/s002340050649>
- RAYMOND AA, ZARIAH AA, SAMAD SA, CHIN CN, KONG NC: Brain calcification in patients with cerebral lupus. *Lupus* 1996; 5(2): 123-8. <https://doi.org/10.1177/096120339600500207>
- YAMAMOTO K, NOGAKI H, TAKASE Y, MORIMATSU M: Systemic lupus erythematosus associated with marked intracranial calcification. *AJNR Am J Neuroradiol* 1992; 13(5): 1340-2.
- DAUD AB, NURUDIN RN: Solitary paraventricular calcification in cerebral lupus erythematosus: a report of two cases. *Neuroradiology*. 1988;30(1):84-5.
- NORDSTROM DM, WEST SG, ANDERSEN PA: Basal ganglia calcifications in central nervous system lupus erythematosus. *Arthritis Rheum* 1985; 28(12): 1412-6. <https://doi.org/10.1002/art.1780281214>
- ANDERSON JR: Intracerebral calcification in a case of systemic lupus erythematosus with neurological manifestations. *Neuropathol Appl Neurobiol* 1981; 7(2): 161-6. <https://doi.org/10.1111/j.1365-2990.1981.tb00085.x>