


Supplementary Table S1. Sequence information of primers.

Primer name	Forward Primer(5'-3')	Reverse Primer
GAPDH	AGAACATCATCCCTGCATCC	AGTTGCTGTTGAAGTCGCGAGGTCA
CD44	TCGATTGAATGTA ACCTGCCG	CAGTCCGGAGATACTGTAGC
RANTES	TTGCAGTCGTGTTGTCACTC	CAGGGAAGCTATAACAGGGTCAGGGTCAG
TNF- α	CTTCTCATTCCCTGCTTGTGGC	AGCTGCTCCTCCACTTGGT
IL-1 β	CTGGTGTGACGTTCCAT	TCGTTGCTTGGTTCTCCTGTCTTGT
IL-6	ACCAAGAGATAAGCTGGAGTCAC	TAACGCACTAGGTTGCCGA
CD206	CTCTGTTAGCTATTGGACGC	CGGAATTCTGGGATTCAAGCTTC
ARG-1	CTCCAAGCCAAAGTCCTAGAG	AGGAGCTGTCAATTAGGGACATC
TIMP-1	GCAACTCGGACCTGGTCATAA	CGGCCCGTGATGAGAACT

**Supplementary Fig. S1.** mRNA levels of CD44 are elevated in the skeletal muscle of patients with PM but not DM.

CD44 mRNA levels of skeletal muscle in NC, PM, DM in GSE128470 (**A**), GSE39454 (**B**), GSE5370 (**C**) and GSE3112 (**D**) datasets.

NC: normal control; PM: polymyositis; DM: dermatomyositis.

Data were expressed as mean \pm SEM; * p <0.05, ** p <0.01.