
Erratum corrigé

“Is fibromyalgia-related oxidative stress implicated in the decline of physical and mental health status?”

M. La Rubia, A. Rus, F. Molina, M.L. Del Moral

Published in *Clin Exp Rheumatol* 2013; 31 (Suppl. 79): S121-127.

The authors have brought to our attention that the units of parameters in Table III were reported incorrectly and have asked us to publish the table in its correct form.

Table III. Antioxidative status in fibromyalgia (FM) patients and healthy controls.

	Controls (n=25)	FM patients (n=45)	95% CI	p-value
TAC (μmol/L)	244.62 ± 8.98	235.79 ± 10.95	1.28, 16.37	0.023
Uric acid (mg/dL)	3.73 ± 0.50	3.59 ± 0.72	-0.31, 0.59	0.543
Bilirubin (mg/dL)	0.55 ± 0.19	0.57 ± 0.17	-0.14, 0.10	0.719
Copper (μg/dL)	83.55 ± 9.20	105.99 ± 17.03	-32.87, - 12.00	<0.001
Zinc (μg/dL)	106.8 ± 22.41	66.48 ± 18.82	26.11, 54.51	<0.001
Iron (μg/dL)	83 ± 30.07	81.82 ± 34.64	-21.45, 23.79	0.917
Ferritin (μg/L)	57.42 ± 17.01	52.33 ± 15.07	-9.88, 20.07	0.486
Transferrin (mg/dL)	267.09 ± 35.41	284.45 ± 45.78	-48.16, 13.44	0.261
Albumin (g/dL)	4.35 ± 0.26	4.38 ± 0.24	-0.19, 0,14	0.744
Ceruloplasmin (mg/dL)	24.35 ± 2.20	30.14 ± 5.14	-7.95, - 3.60	<0.001

Data are expressed as mean ± standard deviation.

95% CI: 95% confidence interval; TAC: total antioxidant capacity.
