Comment on the paper by Kapsala *et al.*

Sirs.

We read with the article by Kapsala *et al.*, entitled: "From first symptoms to diagnosis of systemic lupus erythematosus: mapping the journey of patients in an observational study" and found it of some interest (1), however, we would like to point out a problem we found when reading this communication in detail.

On page 78, under *Outcomes* (bottom right) the authors indicate that 1 out of 6 patients at diagnosis had irreversible organ damage, mostly attributed to neuropsychiatric manifestations and thrombotic events. This is incorrect, since the SLICC Damage Index or SDI is 0 at diagnosis and damage can only accumulate thenceforward (2). Of course, this may have affected the subsequent data presented.

We think this clarification is in order.

G.S. ALARCÓN¹, MD, MPH B.A. PONS-ESTEL², MD G.J. PONS-ESTEL², MD, PhD E. ZAVALA³, MD R. NIETO², MD R. QUINTANA², MD, PhD

¹Division of Clinical Immunology and Rheumatology, Department of Medicine, Marnix E. Heersink School of Medicine, The University of Alabama at Birmingham, AL, USA;

²Grupo Oroño, Centro Regional de Enfermedades Autoinmunes y Reumaticas (GO-CREAR), Rosario, Argentina; ³Universidad Peruana Cayetano Heredia (UPCH), Lima, Perú.

Please address correspondence to: Rosana Quintana Grupo Oroño, Centro Regional de Enfermedades Autoinmunes y Reumaticas (GO-CREAR), Laprida 1283 7B, 2000 Rosario (Santa Fe), Argentina. E-mail: rosanaquintana@gmail.com Competing interests: none declared.

© Copyright CLINICAL AND EXPERIMENTAL RHEUMATOLOGY 2023.

References

1. KAPSALA NN, NIKOLOPOULOS DS, FLOUDA SP *et al.*: From first symptoms to diagnosis of systemic lupus erythematosus: mapping the journey of patients in an observational study. *Clin Exp Rheumatol* 2023; 41(1): 74-81. https://

doi.org/10.55563/clinexprheumatol/x3s9td

2.GLADMAN DD, UROWITZ MB: The SLICC/ ACR Damage Index: progress report and experience in the field. *Lupus* 1999; 8(8): 632-7.

https://doi.org/10.1191/096120399680411335